AUTHOR INDEX

Adachi, G., 271
Angadi, S. D., 263
Arko, A. J., 87

Badekas, Hel., 245
Badiger, B. M., 263
Bażela, W., 193
Belle, J., 177
Benedict, U., 143, 167
Bendeliani, N. A., 313
Blažina, Ž., 277
Brewer, L., 15
Brooks, M. S. S., 25

Carnall, W. T., 178
Chaudouet, P., 303
Chuang, Y. C., 215
Cooper, B. R., 31
Crow, J. E., 67

Dasgupta, A., 209
Dunaev, S. R., 297
Dunlap, B. D., 87
Dyuzheva, T. I., 313

Edelstein, N., 39
Eriksson, O., 25

Fisk, Z., 87, 99
Fong, J., 215
Fornasini, M. L., 225
Fuerst, C. D., 255

Gal, J., 177
Gibson, J. K., 178
del Giudice, M., 87
Goodman, G. L., 178

Haire, R. G., 143, 167, 178
Haschke, J. M., 155
Han, J.-S., 201
Hodges, A. E., III, 155

Imoto, S., 111
Ivanov, M. I., 181

Jee, C. S., 67
Johansson, B., 25

Kabalkina, S. S., 313
Kalvius, G. M., 177
Keller, H.-L., 287
Kerimov, K. M., 297
Koelling, D. D., 87
Kroeger, D. M., 209
Kulkarni, V. H., 263

Lam, D. J., 87, 178
Lander, G. H., 1
Lee, J.-Y., 201
Lin, C. L., 67
Litterst, F. J., 177
Liu, C. T., 209
Lucas, R. L., 155
Lukashenko, G. M., 181

Madar, R., 303
Manes, L., 125
Mattenberger, K., 53
Meisner, G. P., 255
Merlo, F., 225
Mitchell, A. W., 87
Moore, J. R., 178

Nave, S. E., 178

Olson, C. G., 87
Ott, H. R., 99

Panagopoulos, Chr., 245
Patil, S. A., 263
Perry, D. L., 177
Peterson, J. R., 143, 167
Pfranger, R., 231
Pinkerton, F. E., 255
Plusa, D., 231
Potzel, W., 177

Sakaguchi, H., 271
Schröder, L., 287
Senateur, J. P., 303
Shimogohri, T., 271
Shiokawa, J., 271
Skriver, H. L., 25
Sljusarenko, E. M., 297
Smith, J. L., 87, 99
Soderholm, L., 77
Stocks, G. M., 209

Tranqui, D., 303
Trojko, R., 277

Veal, B. W., 178
Vogt, O. R., 53

Wallash, A., 67
Willis, J. O., 107
Wu, C. H., 215
Wysłocki, B., 231
Wysłocki, J. J., 231

Yates, B. W., 87
Yelon, W. B., 255
Young, J. P., 143, 167

Zemni, S., 303
Zhou, L. W., 67
Zolnierek, Z., 87

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Absorption spectrophotometry
  studies of selected transuranium and lanthanide tri-iodides under pressure using absorption spectrophotometry, 167
Alloys
  site occupany in erbium–iron–manganese–boron alloys, 255
  thermodynamic properties of binary liquid alloys of silver with rare earth metals, 181
Aluminium
  Friauf–Laves phases in the $Zr_{1-x}Al_xT_2$, $Zr_{1-x}Si_xT_2$ and $Zr_{1-x}Ti_xT_2$ (T = Mn, Fe, Co) systems, 277
  investigation of the structure and phase equilibria of $Nd(Co_{1-x}M_x)_5$ compounds (M = Ni, Cu, Al), 215
  investigation of the structure of ternary phases in Al–Mg–Ti, Al–Mg–V and Al–Mg–Cr systems, 297
Americium
  magnetic behaviour of $5f^6$ ions Am^{3+} and Cm^{4+}, 77
  preparation and solid state properties of americium and curium bismuthides, 178
Antimony
  copper-rich side of the pseudobinary systems $CaCu_{1-x}M_x$ (M = Co, Ni, Cd, Sn, As, Sb) and $SrCu_{1-x}Cd_x$, 225
Arsenic
  copper-rich side of the pseudobinary systems $CaCu_{1-x}M_x$ (M = Co, Ni, Cd, Sn, As, Sb) and $SrCu_{1-x}Cd_x$, 225
  new ternary pnictides with the $CaBe_2Ge_2$-type structure in the systems, rare-earth–Rh–P and rare-earth–Rh–As, 303

Binary liquid alloys
  thermodynamic properties of binary liquid alloys of silver with rare earth metals, 181
Bonding
  unusual bonding of actinide systems, 15
Bonding in rare-earth compounds
  structural aspects of chemical bonding in RETX compounds, 193
Boron
  domain structure and domain-wall energy in polycrystalline $R_2Fe_{14}B$ compounds (R = Pr, Nd, Gd, Dy), 231
  site occupany in erbium–iron–manganese–boron alloys, 255

Cadmium
  the copper-rich side of the pseudobinary systems $CaCu_{1-x}M_x$ (M = Co, Ni, Cd, Sn, As, Sb) and $SrCu_{1-x}Cd_x$, 225
Calcium
  the copper-rich side of the pseudobinary systems $CaCu_{1-x}M_x$ (M = Co, Ni, Cd, Sn, As, Sb) and $SrCr_{1-x}Cd_x$, 225
Chromium
  investigation of the structure of ternary phases in Al–Mg–Ti, Al–Mg–V and Al–Mg–Cr systems, 297
Cobalt
  copper-rich side of the pseudobinary systems $CaCu_{1-x}M_x$ (M = Co, Ni, Ce, Sn, As, Sb) and $SrCu_{1-x}Cd_x$, 225
  Friauf–Laves phases in the $Zr_{1-x}Al_xT_2$, $Zr_{1-x}Si_xT_2$ and $Zr_{1-x}Ti_xT_2$ (T = Mn, Fe, Co) systems, 277
  investigation of the structure and phase equilibria of $Nd(Co_{1-x}M_x)_5$ compounds (M = Ni, Cu, Al), 215
  low-temperature specific heat of $(Co_{78}Fe_{22})_3V$, 209
Colouring
  studies on hydrogen permeability for various metals using the colouring of amorphous WO_3 with hydrogen penetrated through sandwich-type films (a-WO_3/Metal/$LaNi_5$), 271
Copper
  copper-rich side of the pseudobinary systems $CaCu_{1-x}M_x$ (M = Co, Ni, Cd, Sn, As, Sb) and $SrCu_{1-x}Cd_x$, 225
  investigation of the structure and phase equilibria of $Nd(Co_{1-x}M_x)_5$ compounds (M = Ni, Cu, Al), 215

© Elsevier Sequoia/Printed in The Netherlands

Crystal structure
preparation and crystal structure of Tl_3PdCl_5, 287
Curium
magnetic behaviour of $5f^6$ ions Am^{3+} and Cm^{4+}, 77
preparation and solid state properties of americium and curium bismuthides, 178

Domain structure
domain structure and domain-wall energy in polycrystalline $R_2Fe_{14}B$ compounds (R = Pr, Nd, Gd, Dy), 231
Dysprosium
domain structure and domain-wall energy in polycrystalline $R_2Fe_{14}B$ compounds (R = Pr, Nd, Gd, Dy), 231

Electronic conduction
electronic conduction in the Ti/TiO_2/electrolyte system, 245
Electronic structure
electronic structure of actinide intermetallic compounds, 25
Electron spectroscopy
electron spectroscopy in narrow band f-electron compounds, 87
Erbium
site occupany in erbium–iron–manganese–boron alloys, 255

Friauf–Laves phases
on Friauf–Laves phases in the $Zr_{1-x}Al_xT_2$, $Zr_{1-x}Si_xT_2$ and $Zr_{1-x}Ti_xT_2$ (T = Mn, Fe, Co) systems, 277

Gadolinium
domain structure and domain-wall energy in polycrystalline $R_2Fe_{14}B$ compounds (R = Pr, Nd, Gd, Dy), 231

Heavy electrons
actinides and their heavy electrons, 107
chemical physics of heavy electron uranium compounds, 99
Mössbauer effect studies of some neptunium magnetic heavy-fermion compounds, 177
Hybridization
hybridization effects — the evolution from non-magnetic to magnetic behaviour in uranium-based systems, 67

Hydrogen
equilibrium and structural properties of the Pu–H system, 155
studies on hydrogen permeability for various metals using the colouring of amorphous WO_3 with hydrogen penetrated through sandwich-type films (a-WO_3/Metal/$LaNi_5$), 271
Hydrogenation
effect of thermal cycling on the hydrogenation characteristics of the Mg_2Ni intermetallic compounds, 201

Intermetallics
effect of thermal cycling on the hydrogenation characteristics of the Mg_2Ni intermetallic compounds, 201
electronic structure of actinide intermetallic compounds, 25
Ion-core model
ion-core model of actinide metals and semi-metallic compounds, 111
Iron
domain structure and domain-wall energy in polycrystalline $R_2Fe_{14}B$ compounds (R = Pr, Nd, Gd, Dy), 231
Friauf–Laves phases in the $Zr_{1-x}Al_xT_2$, $Zr_{1-x}Si_xT_2$ and $Zr_{1-x}Ti_xT_2$ (T = Mn, Fe, Co) systems, 277
low-temperature specific heat of $(Co_{78}Fe_{22})_3V$, 209
site occupany in erbium–iron–manganese–boron alloys, 255

Lanthanum
studies on hydrogen permeability for various metals using the colouring of amorphous WO_3 with hydrogen penetrated through sandwich-type films (a-WO_3/Metal/$LaNi_5$), 271

Magnesium
effect of thermal cycling on the hydrogenation characteristics of the Mg_2Ni intermetallic compounds, 201
investigation of the structure of ternary phases in Al–Mg–Ti, Al–Mg–V and Al–Mg–Cr systems, 297
Magnetism
optical and magnetic properties of tetravalent actinide ions and compounds, 39
hybridization effects — the evolution from non-magnetic to magnetic be-

haviour in uranium-based systems, 67
magnetic behaviour of $5f^6$ ions Am^{3+} and Cm^{4+}, 77
magnetism of pseudobinary actinide monochalcogenide and monopnictide single crystals, 53
orbitally-driven magnetism in light actinide systems, 31
Manganese
Friauf–Laves phases in the $Zr_{1-x}Al_xT_2$, $Zr_{1-x}Si_xT_2$ and $Zr_{1-x}Ti_xT_2$ (T = Mn, Fe, Co) systems, 277
site occupany in erbium–iron–manganese–boron alloys, 255
Mössbauer effect
Mössbauer effect studies of some neptunium magnetic heavy-fermion compounds, 177

Neodynium
domain structure and domain-wall energy in polycrystalline $R_2Fe_{14}B$ compounds (R = Pr, Nd, Gd, Dy), 231
investigation of the structure and phase equilibria of $Nd(Co_{1-x}M_x)_5$ compounds (M = Ni, Cu, Al), 215
Neptunium
interpretation of neptunium spectra in some crystalline and non-crystalline solids, 178
Mössbauer effect studies of some neptunium magnetic heavy-fermion compounds, 177
Neutron scattering
valency in actinide systems as viewed by neutron scattering, 1
Nickel
copper-rich side of the pseudobinary systems $CaCu_{1-x}M_x$ (M = Co, Ni, Cd, Sn, As, Sb) and $SrCu_{1-x}Cd_x$, 225
effect of thermal cycling on the hydrogenation characteristics of the Mg_2Ni intermetallic compounds, 201
investigation of the structure and phase equilibria of $Nd(Co_{1-x}M_x)_5$ compounds (M = Ni, Cu, Al), 215
studies on hydrogen permeability for various metals using the colouring of amorphous WO_3 with hydrogen penetrated through sandwich-type films (a-WO_3/Metal/$LaNi_5$), 271

Optical properties
optical and magnetic properties of tetravalent actinide ions and compounds, 39
Oxygen
thermodynamics of the ThO_2–UO_2–O system, 177

Palladium
preparation and crystal structure of Tl_3PdCl_5, 287
Phosphorus
new ternary pnictides with the $CaBe_2Ge_2$-type structure in the systems, rare-earth–Rh–P and rare-earth–Rh–As, 303
Plutonium
equilibrium and structural properties of the Pu–H system, 155
Pnictides
new ternary pnictides with the $CaBe_2Ge_2$-type structure in the systems, rare-earth–Rh–P and rare-earth–Rh–As, 303
Praeseodymium
domain structure and domain-wall energy in polycrystalline $R_2Fe_{14}B$ compounds (R = Pr, Nd, Gd, Dy), 231
Preparation
preparation and crystal structure of Tl_3PdCl_5, 287
preparation and solid state properties of americium and curium bismuthides, 178
Pseudobinary systems
copper-rich side of the pseudobinary systems $CaCu_{1-x}M_x$ (M = Co, Ni, Cd, Sn, As, Sb) and $SrCu_{1-x}Cd_x$, 225

Rhenium
new high-pressure phases of ReO_3, 313
Rhodium
new ternary pnictides with the $CaBe_2Ge_2$-type structure in the systems, rare-earth–Rh–P and rare-earth–Rh–As, 303

Silicon
Friauf–Laves phases in the $Zr_{1-x}Al_xT_2$, $Zr_{1-x}Si_xT_2$ and $Zr_{1-x}Ti_xT_2$ (T = Mn, Fe, Co) systems, 277
Silver
thermodynamic properties of binary

liquid alloys of silver with rare earth metals, 181
Single crystals
magnetism of pseudobinary actinide monochalcogenide and monopnictide single crystals, 53
Solid state properties
preparation and solid state properties of americium and curium bismuthides, 178
Specific heat
low-temperature specific heat of $(Co_{78}Fe_{22})_3V$, 209
Strontium
copper-rich side of the pseudobinary systems $CaCu_{1-x}M_x$ (M = Co, Ni, Cd, Sn, As, Sb) and $SrCu_{1-x}Cd_x$, 225
Structural properties
equilibrium and structural properties of the Pu–H system, 155
thermodynamic and structural properties of actinide solids: relation to bonding, 125
Sulphur
structural and spectroscopic characterization of uranium–sulfur compounds, 177

Thallium
preparation and crystal structure of Tl_3PdCl_5, 287
Thermal cycling
effect of thermal cycling on the hydrogenation characteristics of the Mg_2Ni intermetallic compounds, 201
Thermodynamic properties
thermodynamic and structural properties of actinide solids: relation to bonding, 125
thermodynamic properties of binary liquid alloys of silver with rare earth metals, 181
Thorium
thermodynamics of the ThO_2–UO_2–O system, 177
Tin
the copper-rich side of the pseudobinary systems $CaCu_{1-x}M_x$ (M = Co, Ni, Cd, Sn, As, Sb) and $SrCu_{1-x}Cd_x$, 225
Titanium
electronic conduction in the Ti/TiO_2/electrolyte system, 245
Friauf–Laves phases in the $Zr_{1-x}Al_xT_2$, $Zr_{1-x}Si_xT_2$ and $Zr_{1-x}Ti_xT_2$ (T = Mn, Fe, Co) systems, 277
investigation of the structure of ternary phases in Al–Mg–Ti, Al–Mg–V and Al–Mg–Cr systems, 297
oxotitanium(IV) and titanium(IV) complexes with thiocarbohydrazones, 263
Transplutonium metals
experimental studies at Karlsruhe and Oak Ridge of transplutonium metals and compounds under pressure, 143
Transuranium compounds
studies of selected transuranium and lanthanide tri-iodides under pressure using absorption spectrophotometry, 167
Tungsten
studies on hydrogen permeability for various metals using the colouring of amorphous WO_3 with hydrogen penetrated through sandwich-type films (a-WO_3/Metal/$LaNi_5$), 271

Uranium
chemical physics of heavy electron uranium compounds, 99
hybridization effects — the evolution from non-magnetic to magnetic behaviour in uranium-based systems, 67
structural and spectroscopic characterization of uranium–sulfur compounds, 177
thermodynamics of the ThO_2–UO_2–O system, 177

Valency
valency in actinide systems as viewed by neutron scattering, 1
Vanadium
investigation of the structure of ternary phases in Al–Mg–Ti, Al–Mg–V and Al–Mg–Cr systems, 297
low-temperature specific heat of $(Co_{78}Fe_{22})_3V$, 209

Zirconium
Friauf–Laves phases in the $Zr_{1-x}Al_xT_2$, $Zr_{1-x}Si_xT_2$ and $Zr_{1-x}Ti_xT_2$ (T = Mn, Fe, Co) systems, 277